

## STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

BEVERLY EAVES PERDUE GOVERNOR EUGENE A. CONTI, JR. SECRETARY

July 14, 2010

U. S. Army Corps of Engineers Regulatory Field Office 3331 Heritage Trade Drive, Suite 105 Wake Forest, NC 27587

ATTN:

Mr. Eric Alsmeyer

NCDOT Coordinator

Dear Sir,

Subject:

Application for Section 404 Nationwide Permit 13, Section 401 Water Quality Certification and Neuse Riparian Buffer Authorization for the Oakwood Cemetery Mitigation Site Remediation along Cemetery Branch, Division 5, T.I.P No. R-2000WM.

Debit \$240.00 from WBS No. 34365.4.5

The North Carolina Department of Transportation (NCDOT) proposes to stabilize 100 feet of Cemetery Branch of the Oakwood Cemetery Mitigation Site.

Please see the enclosed copies of the Pre-Construction Notification (PCN) and permit drawings for the above-referenced project.

This project will begin construction upon receipt of all permits.

A copy of this permit application will be posted on the NCDOT Website at: http://www.ncdot.org/doh/preconstruct/pe/. If you have any questions or need additional information, please call Rachelle Beauregard at (919) 431-6764.

TELEPHONE: 919-431-2000

WEBSITE: WWW.NCDOT.ORG

Sincerely,

Gregory J. Thorpe, Ph.D.

Environmental Management Director, PDEA

## W/attachment

Mr. Brian Wrenn, NCDWQ (5 Copies)

Mr. J. Wally Bowman, P.E., Division Engineer

Mr. Chris Murray, DEO

Mr. Randy Griffin, NEU

## W/o attachment (see website for attachments)

Dr. David Chang, P.E., Hydraulics

Mr. Mark Staley, Roadside Environmental

Mr. Greg Perfetti, P.E., Structure Design

Mr. Victor Barbour, P.E., Project Services Unit

Mr. Jay Bennett, P.E., Roadway Design

Mr. Majed Alghandour, P. E., Programming and TIP

Mr. Art McMillan, P.E., Highway Design

Mr. Scott McLendon, USACE, Wilmington

Mr. Gary Jordan, USFWS

Mr. Travis Wilson, NCWRC

Mr. Eric Midkiff, P.E., PDEA Project Planning Engineer

Ms. Renee Gledhill-Earley, State Historic Preservation Office





Office Use Only:	
Corps action ID no.	
DWQ project no.	
Form Version 1.3 Dec 10 2008	

	Pre-Construction Notification (PCN) Form						
A.	Applicant Information						
1.	Processing				1,		
1a.	a. Type(s) of approval sought from the Corps:						
1b.	Specify Nationwide Permit (NWP	) number: 1	3 or General Permit (G	P) number:			
1c.	Has the N WP or GP number bee	en verified b	by the Corps?	⊠ Yes	☐ No		
1d.	Type(s) of approval sought from	the DWQ (	check all that apply):	I			
		n – Regula	r Non-404 Jurisdiction	al General Permi	t		
	☐ 401 Water Quality Certification	n – Expres	s 🔲 Riparian Buffer Autho	orization			
1e.	e. Is this notification solely for the record because written approval is not required?  For the record only for DWQ 401 Certification:			For the record	only for Corps Permit:		
			☐ Yes	☐ Yes	⊠ No		
1f.		ee program proposed for mitigation ter from mitigation bank or in-lieu	☐ Yes	⊠ No			
1g.	Is the project located in any of N below.	coastal counties. If yes, answer 1h	☐ Yes	⊠ No			
1h.	Is the project located within a NC	DCM Area	of Environmental Concern (AEC)?	☐ Yes	⊠ No		
2.	Project Information	***************************************		L			
2a.	Name of project:	Oakwood	Cemetery Mitigation Site Remediation	on	The second secon		
2b.	County:	Wake					
2c.	Nearest municipality / town:	Raleigh	·		44444444		
2d.	Subdivision name:	not applic	able				
2e.	NCDOT only, T.I.P. or state project no:	R-2000W	М				
3.	Owner Information						
3a.	Name(s) on Recorded Deed:	North Car	olina Department of Transportation				
	Deed Book and Page No.	not applic	able				
3c.	c. Responsible Party (for LLC i f applicable):  not applicable						
3d.	d. Street address: 1598 Mail Service Center						
3e.	City, state, zip:	Raleigh, N	NC 27699-1598				
3f.	Telephone no.:	(919) 431	-6764				
3g.	Fax no.:	(919) 431	-2002				
3h.	Email address:	rbeaurega	ard@ncdot.gov				

4.	Applicant Information (if different from owner)				
4a.	Applicant is:	☐ Agent	Other, specify:		
4b.	Name:	not applicable			
4c.	Business name (if applicable):				
4d.	Street address:				
4e.	City, state, zip:				
4f.	Telephone no.:				
4g.	Fax no.:				
4h.	Email address:				
5.	Agent/Consultant Information	n (if applicable)			
5a.	Name:	not applicable			
5b.	Business name (if applicable):				
5c.	Street address:				
5d.	City, state, zip:				
5e.	Telephone no.:				
5f.	Fax no.:				
5g.	Email address:				

B. Project Information and Prior Project History	B. Project Information and Prior Project History						
1. Property Identification							
1a. Property identification no. (tax PIN or parcel ID):	not applicable						
1b. Site coordinates (in decimal degrees):	Latitude: Longitude: (DD.DDDDDD) (-DD.DDDDDD)						
1c. Property size:	0.18 acres						
2. Surface Waters							
2a. Name of nearest body of water (stream, river, etc.) to proposed project:	Cemetery Branch						
2b. Water Quality Classification of nearest receiving water:	C, NSW						
2c. River basin:	Neuse						
3. Project Description							
3a. Describe the existing conditions on the site and the general application:							
In February, 2010, the cemetery contacted NCDOT regardir stream bank is located along the right facing downstream ar may be a number of contributing factors to the bank erosion around 2002. Also it appears that there has been excessive above and beyond the approved maintenance schedule doc	nd is approximately 100 feet in length. It appears that there  A utility pole was relocated to the top of the stream bank maintenance within the conservation easement that was						
3b. List the total estimated acreage of all existing wetlands on the	ne property:						
0							
3c. List the total estimated linear feet of all existing streams (inte	rmittent and perennial) on the property:						
3d. Explain the purpose of the proposed project:  To stabilize a stream							
3e. Describe the overall project in detail, including the type of ed							
Upon review and after consultation with State and Federal F approximately 100 feet of stream bank by sloping the existing the normal water surface elevation to approximately 3 feet in will be seeded, mulched, and erosion control matting will be	The utility pole and guy wire will be relocated to approximately 10 feet from the office building away from the stream bank. Upon review and after consultation with State and Federal Regulatory Agencies, NCDOT has committed to repair approximately 100 feet of stream bank by sloping the existing bank to 2:1 or flatter and plating with Class II rip-rap from the normal water surface elevation to approximately 3 feet in height from the thalwag of the stream. All disturbed areas will be seeded, mulched, and erosion control matting will be installed. Approximately 0.10 ac. will be planted with live stakes and/or bare root seedlings between December, 2010-March, 2011. This remediation work is similar to the original design and mitigation plan with a flatter slope on the right bank.						
4. Jurisdictional Determinations							
4a. Have jurisdictional wetland or stream determinations by the Corps or State been requested or obtained for this property project (including all prior phases) in the past?  Comments:	✓ ☑ Yes ☐ No ☐ Unknown						
4b. If the Corps made the jurisdictional determination, what type of determination was made?	☐ Preliminary ⊠ Final						
4c. If yes, who delineated the jurisdictional areas? Name (if known):	Agency/Consultant Company: Other:						
4d. If yes, list the dates of the Corps jurisdictional determination Nationwide Permit 27 obatined in 1999	s or State determinations and attach documentation.						

5.	Project History				
5a.	Have permits or certifications been requested or obtained for this project (including all prior phases) in the past?	⊠ Yes	□ No	Unknown	
5b.	b. If yes, explain in detail according to "help file" instructions.  The Oakwood Cemetery stream mitigation project is located in Historic Oakwood Cemetery in Raleigh, N.C. NCDOT holds a conservation easement along both sides of the stream between Oakwood Avenue and Boundary Street. The stream mitigation project was approximately 1300 Linear Feet in length. The project was constructed in the March, 1999 to provide up-front mitigation for the I-540 (Wake Expressway). The original construction of the stream projects was permitted utilizing a NW 27 and 401 Water Quality Certification. In May 1999, the stream was utilized to compensate for unavoidable stream impacts for R-2000EA/EB (Northern Wake Expressway).				
6.	Future Project Plans				
6a.	Is this a phased project?	☐ Yes	⊠ No		
6b.	If yes, explain.				

C. Proposed Impacts Inventory						
1. Impacts Summ	ary					
1a. Which sections	were completed b	elow for your project (	check all that a	apply):		
☐ Wetlands	$\boxtimes$ :	Streams - tributaries	Bu	iffers		
☐ Open Waters	s 🗆 F	Pond Construction				
2. Wetland Impac	ts				***************************************	
•		on the site, then com	plete this quest	tion for each wetland	area impacte	d.
2a. Wetland impact	2b.	2c.	2d.	2e.	. ,.	2f.
number – Permanent (P) or Temporary (T)	Type of impact	Type of wetland (if known)	Forested	Type of jurisd (Corps - 404 DWQ – non-404	, 10	Area of impact (acres)
Site 1 DPT			☐ Yes ☐ No	☐ Corps ☐ DWQ		
Site 2 P T			☐ Yes	☐ Corps ☐ DWQ		
Site 3 P T			Yes	Corps		
			☐ No ☐ Yes	DWQ Corps		
Site 4 P T			□ No	DWQ		
Site 5 P T			☐ Yes ☐ No	☐ Corps ☐ DWQ		
Site 6 P T			☐ Yes ☐ No	☐ Corps		
			1	2g. Total wetla	nd impacts	X Permanent X Temporary
2h. Comments:						
3. Stream Impacts If there are perennia question for all strea	l or intermittent str	eam impacts (includi	ng temporary in	npacts) proposed on t	he site, then	complete this
3a.	3b.	3c.	3d.	3e.	3f.	3g.
Stream impact number - Permanent (P) or Temporary (T)	Type of impact	Stream name	Perennial (PER) or intermittent (INT)?	Type of jurisdiction (Corps - 404, 10 DWQ – non-404, other)	Average stream width (feet)	Impact length (linear feet)
Site 1 🛛 P 🗌 T	bank stabilization	Cemetery Branch	⊠ PER □ INT	⊠ Corps □ DWQ	5	100
Site 2 P T			☐ PER ☐ INT	☐ Corps ☐ DWQ		
Site 3 P T			☐ PER ☐ INT	☐ Corps ☐ DWQ		
Site 4 P T			☐ PER ☐ INT	☐ Corps ☐ DWQ		
Site 5 P T			☐ PER ☐ INT	☐ Corps ☐ DWQ	THE PARTY OF THE P	
Site 6 P T			☐ PER ☐ INT	☐ Corps ☐ DWQ		
				otal stream and tribu	itary impacts	100 Perm X Temp
3i. Comments:						

4. Open	4. Open Water Impacts									
If there are	If there are proposed impacts to lakes, ponds, estuaries, tributaries, sounds, the Atlantic Ocean, or any other open water of the U.S. then individually list all open water impacts below.									
4a.		4b.	4c.				4d.		4e.	
Open w		Name of		-						
impact nu Permanen		waterbody (if applicable)		Туре	e of impact		Waterbod	y type	Area of im	pact (acres)
Tempora		(ii applicable)								
	· 🗆 Т									10,000
02 🗌 F	)									
O3 □ F	,									
04 🗌 F	T 🗌 י									
						4f. Total o	pen water ii	npacts		manent nporary
4g. Comm	4g. Comments:									
5. Pond	or Lake	Construction								
If pond or		struction proposed,	then comp	olete	the chart b	elow.				
5a.	5b.		5c.				5d.			5e.
Pond ID		posed use or	Wetland Impacts (acres)		Stream Impac		cts (feet) Upland (acres			
number	pur	pose of pond	Floode	ed	Filled	Excavat ed	Flooded	Filled	Excavated	Flooded
P1										
P2										
		5f. Total								
5g. Comm	ents:									
5h. Is a dam high hazard permit required?			ed?	□ Y	es	□ No	If yes, perr	mit ID no		
5i. Exped	cted pond	l surface area (acre	es):							
5j. Size c	of pond w	ratershed (acres):								
5k. Method of construction:										

6. Buffer Impacts (for DWQ)							
If project will impact a protected riparian buffer, then complete the chart below. If yes, then individually list all buffer impacts below. If any impacts require mitigation, then you <b>MUST</b> fill out Section D of this form.							
6a. ⊠ Neuse ☐ Tar-Pamlico ☐ Other:							
Project is in which	protected basin?		Catawba	Randleman			
6b.	6c.	6d.	6e.	6f.	6g.		
Buffer impact number – Permanent (P) or Temporary (T)	Reason for impact	Stream name	Buffer mitigation required?	Zone 1 impact (square feet)	Zone 2 impact (square feet)		
B1 ⊠P□T	streambank stabilization	Cemetery Branch	☐ Yes ☑ No	885	0		
B2 🗌 P 🗌 T			☐ Yes ☐ No				
ВЗ 🗌 Р 🗌 Т			☐ Yes ☐ No				
	6h. Total buffer impacts 885 0						
6i. Comments:	Si. Comments:						

D.	. Impact Justification and Mitigation						
1.	Avoidance and Minimization						
1a.	Specifically describe measures taken to avoid or minimize the	he proposed impacts i	n designing project.				
	NCDOT has committed to repair approximately 100 feet of stream bank by sloping the existing bank to 2:1 or flatter and plating with Class II rip-rap from the normal water surface elevation to approximately 3 feet in height for the thalwag of the stream. All disturbed areas will be seeded, mulched, and erosion control matting will be installed. Approximately 0.1 ac. will be planted with live stakes and/or bare root seedlings between December, 2010-March, 2011. This remediation work is similar to the original design and mitigation plan with a flatter slope on the right bank.						
	It is important to note that NCDOT has committed to reclaim and visibly mark the limits of the conservation easement throughout the entire stream reach. The Cemetery has committed to install granite markers along this boundary to make it more visible for mowers and maintenance crews to refrain to excess maintenance activities. The Cemetery also committed to adhere to the conservation easement and accompanying maintenance schedule.						
1b.	b. Specifically describe measures taken to avoid or minimize the proposed impacts through construction techniques.						
2.	Compensatory Mitigation for Impacts to Waters of the L	J.S. or Waters of the	State				
2a.	Does the project require Compensatory Mitigation for impacts to Waters of the U.S. or Waters of the State?	☐ Yes      No If no, explain: repair v	work				
2b.	If yes, mitigation is required by (check all that apply):	☐ DWQ ☐ Corps					
2c.	☐ Mitigation bank ☐ Payment to in-lieu fee program ☐ Permittee Responsible Mitigation						
3.	Complete if Using a Mitigation Bank						
3a.	Name of Mitigation Bank: not applicable						
3b.	Credits Purchased (attach receipt and letter)	Туре	Quantity				
3c.	Comments:						
4.	Complete if Making a Payment to In-lieu Fee Program						
4a.	Approval letter from in-lieu fee program is attached.	Yes					
4b.	Stream mitigation requested:	linear feet					
4c.	If using stream mitigation, stream temperature:	☐ warm ☐ co	ol				
4d.	Buffer mitigation requested (DWQ only):	square feet					
4e.	Riparian wetland mitigation requested:	acres					
4f.	Non-riparian wetland mitigation requested:	acres					
4g.	Coastal (tidal) wetland mitigation requested:	acres					
4h.	Comments:						
5.	Complete if Using a Permittee Responsible Mitigation P	Plan					
5a.	If using a permittee responsible mitigation plan, provide a de	escription of the propo	sed mitigation plan.				

6. Buffer M	. Buffer Mitigation (State Regulated Riparian Buffer Rules) – required by DWQ						
	Sa. Will the project result in an impact within a protected riparian buffer that requires ☐ Yes ☒ No buffer mitigation?						
6b. If yes, then identify the square feet of impact to each zone of the riparian buffer that requires mitigation. Calculate the amount of mitigation required.							
	6c.	6d.		6e.			
Zone	Reason for impact	Total impact	Multiplier	Required mitigation			
		(square feet)		(square feet)			
Zone 1			3 (2 for Catawba)				
Zone 2			1.5				
		6f. Total buffer	mitigation required:				
6g. If buffer mitigation is required, discuss what type of mitigation is proposed (e.g., payment to private mitigation bank, permittee responsible riparian buffer restoration, payment into an approved in-lieu fee fund).							
6h. Commer	nts:						

E.	Stormwater Management and Diffuse Flow Plan (required by DWQ)						
1.	Diffuse Flow Plan						
1a.	Does the project include or is it adjacent to protected riparian buffers identified within one of the NC Riparian Buffer Protection Rules?	⊠ Yes	□No				
1b.	If yes, then is a diffuse flow plan included? If no, explain why.  Comments:	Yes	□No				
2.	Stormwater Management Plan						
2a.	What is the overall percent imperviousness of this project?	N/A					
2b.	Does this project require a Stormwater Management Plan?	⊠ Yes	□ No				
2c.	2c. If this project DOES NOT require a Stormwater Management Plan, explain why: Site protected by a conservation easement and still follows the approved Mitigation Plan and project will not increase the amount of stormwater into stream						
2d.	2d. If this project DOES require a Stormwater Management Plan, then provide a brief, narrative description of the plan:						
2e.	Who will be responsible for the review of the Stormwater Management Plan?		cal Government water Program nit				
3.	Certified Local Government Stormwater Review						
3a.	In which local government's jurisdiction is this project?	not applicable					
3b	Which of the following locally-implemented stormwater management programs apply (check all that apply):	☐ Phase II ☐ NSW ☐ USMP ☐ Water Supp ☐ Other:	ly Watershed				
3с.	Has the approved Stormwater Management Plan with proof of approval been attached?	☐ Yes	□ No				
4.	DWQ Stormwater Program Review						
4a.	Which of the following state-implemented stormwater management programs apply (check all that apply):	Coastal could HQW ORW Session La	unties w 2006-246				
4b	Has the approved Stormwater Management Plan with proof of approval been attached?	☐ Yes	□ No				
5.	DWQ 401 Unit Stormwater Review						
5a	Does the Stormwater Management Plan meet the appropriate requirements?	☐ Yes	□No				
5b	Have all of the 401 Unit submittal requirements been met?	☐Yes	☐ No				

F. Supplementary Information					
1. Environmental Documentation (DWQ Requirement)					
1a. Does the project involve an expenditure of public (federal/state/local) funuse of public (federal/state) land?	nds or the	⊠ Yes	□No		
1b. If you answered "yes" to the above, does the project require preparation environmental document pursuant to the requirements of the National or (North Carolina) Environmental Policy Act (NEPA/SEPA)?		⊠ Yes	□ No		
1c. If you answered "yes" to the above, has the document review been finalise State Clearing House? (If so, attach a copy of the NEPA or SEPA final a letter.)	zed by the approval	⊠ Yes	□No		
Comments:					
2. Violations (DWQ Requirement)					
2a. Is the site in violation of DWQ Wetland Rules (15A NCAC 2H .0500), Iso Wetland Rules (15A NCAC 2H .1300), DWQ Surface Water or Wetland S or Riparian Buffer Rules (15A NCAC 2B .0200)?	olated Standards,	☐ Yes	⊠ No		
2b. Is this an after-the-fact permit application?		Yes	⊠ No		
2c. If you answered "yes" to one or both of the above questions, provide an	explanation of	the violation(s)			
3. Cumulative Impacts (DWQ Requirement)					
3a. Will this project (based on past and reasonably anticipated future impact additional development, which could impact nearby downstream water q	s) result in uality?	☐ Yes ⊠ No			
3b. If you answered "yes" to the above, submit a qualitative or quantitative or most recent DWQ policy. If you answered "no," provide a short narrative	3b. If you answered "yes" to the above, submit a qualitative or quantitative cumulative impact analysis in accordance with the most recent DWQ policy. If you answered "no," provide a short narrative description.				
only streambank stabilization on project and will not have cumulative imp	pacts				
4. Sewage Disposal (DWQ Requirement)					
4a. Clearly detail the ultimate treatment methods and disposition (non-dischathe proposed project, or available capacity of the subject facility. not applicable	arge or dischar	ge) of wastewa	ter generated from		

5. Endangered Species and Designated Critical Habitat (Corps Requirement)		
5a. Will this project occur in or near an area with federally protected species or habitat?	☐Yes	□No
5b. Have you checked with the USFWS concerning Endangered Species Act impacts?	⊠Yes	□No
5c. If yes, ind icate the USFWS Field Office you have contacted.	☐ Raleigh ☐ Asheville	
5d. What data sources did you use to determine whether your site would impact Endangered Species or Designated Critical Habitat?		
Survey for Michaux's sumac and red-cockaded woodpecker completed July 13, 2010. No habitat present. Area is mowed and forested areas not open enough for sumac. No pine trees present in project area. The following is for dwarf wedgemusselCemetery Branch in the area of the proposed restoration work was approximately one (1) meter wide with a mixed substrate containing sand, gravel, and some cobble (apparently from the original restoration work). While the water was clear at the time of the visit, in areas of slow water velocity, filamentous algae covered all substrate types indicating significant stream enrichment. This condition is typically due to runoff associated with urban areas such as those in which the project site is located. Cemetery Branch flows into Pigeon House Branch which in turn flows into Crabtree Creek. Both of these streams are also located in urban areas and in addition, Pigeon House Branch is listed on the 303d impaired streams list due to exceeding biological criteria. No bivalves of any type were observed during the cursory search of Cemetery Branch in the project area. A review of the NHP database on 7/13/10 revealed no records of any rare mussels in Cemetery Branch, Pigeon House Branch, or Crabtree Creek. Given the lack of any bivalves in the project area and the poor water quality in not only Cemetery Branch but its receiving streams as well, the completion of the stream restoration project will have no effect on any rare mussel species.		
6. Essential Fish Habitat (Corps Requirement)		
6. Essential Fish Habitat (Corps Requirement)  6a. Will this project occur in or near an area designated as essential fish habitat	☐ Yes	⊠ No
6a. Will this project occur in or near an area designated as essential fish habitat 6b. What data sources did you use to determine whether your site would impact		
6a. Will this project occur in or near an area designated as essential fish habitat' 6b. What data sources did you use to determine whether your site would impact NMFS County Index		
<ul> <li>6a. Will this project occur in or near an area designated as essential fish habitat'</li> <li>6b. What data sources did you use to determine whether your site would impact NMFS County Index</li> <li>7. Historic or Prehistoric Cultural Resources (Corps Requirement)</li> <li>7a. Will this project occur in or near an area that the state, federal or tribal governments have designated as having historic or cultural preservation status (e.g., National Historic Trust designation or properties significant in</li> </ul>	Essential Fish Habita	nat?
<ul> <li>6a. Will this project occur in or near an area designated as essential fish habitat</li> <li>6b. What data sources did you use to determine whether your site would impact NMFS County Index</li> <li>7. Historic or Prehistoric Cultural Resources (Corps Requirement)</li> <li>7a. Will this project occur in or near an area that the state, federal or tribal governments have designated as having historic or cultural preservation status (e.g., National Historic Trust designation or properties significant in North Carolina history and archaeology)?</li> </ul>	Essential Fish Habita    Yes     historic or archeologing and the remediation are would be not advisere would be not advisered.	In No  ical resources? In plan. With the verse affect relating to
<ul> <li>6a. Will this project occur in or near an area designated as essential fish habitat'</li> <li>6b. What data sources did you use to determine whether your site would impact NMFS County Index</li> <li>7. Historic or Prehistoric Cultural Resources (Corps Requirement)</li> <li>7a. Will this project occur in or near an area that the state, federal or tribal governments have designated as having historic or cultural preservation status (e.g., National Historic Trust designation or properties significant in North Carolina history and archaeology)?</li> <li>7b. What data sources did you use to determine whether your site would impact On July 7, 2010, NCDOT met with USACE and SHPO to discuss the proble measure discussed above, along with the proposal, it was determined that to cultural or historic architecture. It was also decided that the work could be proposed.</li> </ul>	Essential Fish Habita    Yes     historic or archeologing and the remediation are would be not advisere would be not advisered.	In No  ical resources? In plan. With the verse affect relating to
<ul> <li>6a. Will this project occur in or near an area designated as essential fish habitat'</li> <li>6b. What data sources did you use to determine whether your site would impact NMFS County Index</li> <li>7. Historic or Prehistoric Cultural Resources (Corps Requirement)</li> <li>7a. Will this project occur in or near an area that the state, federal or tribal governments have designated as having historic or cultural preservation status (e.g., National Historic Trust designation or properties significant in North Carolina history and archaeology)?</li> <li>7b. What data sources did you use to determine whether your site would impact On July 7, 2010, NCDOT met with USACE and SHPO to discuss the proble measure discussed above, along with the proposal, it was determined that toultural or historic architecture. It was also decided that the work could be project.</li> </ul>	Essential Fish Habita    Yes     historic or archeologing and the remediation are would be not advisere would be not advisered.	In No  ical resources? In plan. With the verse affect relating to
<ul> <li>6a. Will this project occur in or near an area designated as essential fish habitat'</li> <li>6b. What data sources did you use to determine whether your site would impact NMFS County Index</li> <li>7. Historic or Prehistoric Cultural Resources (Corps Requirement)</li> <li>7a. Will this project occur in or near an area that the state, federal or tribal governments have designated as having historic or cultural preservation status (e.g., National Historic Trust designation or properties significant in North Carolina history and archaeology)?</li> <li>7b. What data sources did you use to determine whether your site would impact On July 7, 2010, NCDOT met with USACE and SHPO to discuss the proble measure discussed above, along with the proposal, it was determined that the cultural or historic architecture. It was also decided that the work could be project.</li> <li>8. Flood Zone Designation (Corps Requirement)</li> </ul>	Essential Fish Habita	In plan. With the verse affect relating to Bank Stabilization

Dr. Gregory J. Thorpe, Ph D Applicant/Agent's Printed Name


Ef fuck


Date

7.14.10

Applicant/Agent's Signature
(Agent's signature is valid only if an authorization letter from the applicant is provided.)

Permit Drawing Sheet of DIVISION OF HIGHWAYS STATE OF NORTH CAROLINA LOCATION: OAKWOOD CEMETERY, RALEIGH WAKE COUNTY DIVISION OF HIGHWAYS TYPE OF WORK: STREAM RESTORATION RIGHT OF WAY DATE: LETTING DATE: PROJECT LENGTH LENGTH OF STREAM RESTORATION DESIGN DATA BEETH STATE STATESH 18+8 **K-**2000WM







7. ALL GADDING AND STABILIZATION MUST BE COMPLETED IN ONE DAY WITHIN THE PURWANDUS AREAS SETVINED THE PURWANDUS DISC. THE WERNOUS DISC LOCATIONS AS SHOWN ON THIS SHEET ONLY SHOW THE UPER AND LOWER EXTENT OF WORK FOR EACH STEAM, SECARBYT. THE CONTRACTOR IS RESPONSIBLE FOR DETERMINING THE LOCATION OF THE IMPERIVIOUS DIREGS FOR EACH DAYS WORK. OAKWOOD CEMETERY STREAM RESTORATION 8. REMOVE SPECIAL STILLING BASINJS) AND BACKFILL STABILZE DISTURBED AREA WITH SEED AND MULCH. PERFORM STREAM RESTORATION WORK IN ACCORDANCE WITH THE PLANS. PLACE DOWNSTREAM IMPERVIOUS DIKE AND FUMPING APPARATUS. DEWATER ENTRAPED AREA AREA TO BE DEWATERED SHALL BE EQUAL TO ONE DAY'S WORK. 6. EXCAVATE ANY ACCUMULATED SILT AND DEWATER BEPORE REMOVAL OF IMPERYOUS DIKES, PUMPS, AND TEMPORATY FLEXIBLE HOSE, (DOWNSTREAM, IMPERYOUS DIKES, PINST). 2. INSTALL UPSTREAM PUMP AND TEMPORARY FLEXIBLE HOSE. 3. PLACE UPSTREAM IMPERVIOUS DIKE AND BEGIN PUMPING OPERATIONS FOR STREAM DIVERSION. SEQUENCE OF CONSTRUCTION FOR TYPICAL WORK AREA 1. INSTALL SPECIAL STILLING BASIN(S).. (SEE PROJECT SPECIAL PROVISIONS) / SPECIAL STILLING BASIN (SEE PROJECT SPECIAL PROVISIONS) DEWATERING PUMP EXAMPLE OF PUMP-AROUND OPERATION EXISTING STREAM CHANNEL PUMP-AROUND PUMP SPECIAL STILLING BASIN (SEE ROLICT SPECIAL PROVISIONS) Utilize a Stabilized Courte Instead of — a Special Stilling Basin if Pumping Clean Water (SEE PROJECT SPECIAL PROVISIONS) (SEE PROJECT SPECIAL PROVISIONS) TEMPORARY FLEXIBLE HOSE 8.0 in, (208 mm) of Sediment Centrel Prene Stream Bank -Nate: Previde Stabilized Outlet to Streambard sections of channel.

2) impervious effect are to be used to isolate work from attream flow when necessary.

3) All graded areas shall be stabilized within 24 hours.

4) Maintenance of stream flow operations shall be incidental to the work. This includes polywhylmes herefully, diversion pipes, pumps and hosses.

5) Pumps and hosses shall be of sufficient size to dewater the work area. SPECIAL STILLING BASIN WITH ROCK PAD 1) All excavation shall be performed in only dry or isolated ectel Stilling Bosin 8,0 - 20,0 ft. Eddfing Temtin Filter Fabric HerTe Beele

i

